Tel: 1.800.637.6047 / 205.733.0333 Fax: 1.800.521.6896 / 205.733.8930 www.rainbowtech.net Woman-Owned Business Enterprise Founded 1971



Safety Data Sheet (SDS)

1 Identification of substance

Trade name: PADMOUNT GREEN ENAMEL TOUCH-UP PAINT

4648, 46481

Issue Date: Replaces MSDS Dated: April 15, 2014

Product number:

Rainbow Technology Corporation

ated: July 7, 2007

Manufacturer/Supplier: Rainbow 261 Cabal

261 Cahaba Valley Parkway Pelham, Alabama 35124

(800) 637.6047, www.rainbowtech.net

Contact person:

Larry Joe Steeley, Jr.

Emergency information: CHEMTEL 1-800-255-3924, 813-248-0585 if located outside the U.S.

2 Composition/Data on components

Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions.

Dangerous components:		
	Acetone	37.17%
	propane	15.75%
	Toluene	11.67%
	n-butane	9.25%
	Methyl Propyl Ketone	3.84%
	titanium dioxide	1.89%
	PM acetate	1.74%
2807-30-9	Glycol Ether EP	1.52%

Additional information: For the wording of the listed risk phrases refer to section 3.

3 Hazards identification

Hazard description:



Harmful

Extremely flammable

Physical dangers:

Extremely flammable.

Irritating to eyes and respiratory system.

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Keep out of the reach of children.

Effects of short-term

overexposure:

Vapors cause irritation to the eyes, nose, throat, skin, and central nervous system. Symptoms may

include dizziness, throat irritation, headache, fatigue, swelling of eyes, and nausea.

Effects of chronic

overexposure:

May cause permanent brain and nervous system damage. Repeated overexposure can also damage kidneys, lungs, liver, heart, and blood. Intentional misuse by deliberately inhaling the contents may be

harmful or fatal.

NFPA ratings (scale 0 - 4): Health =

Fire = 4

HMIS-ratings (scale 0 - 4): Health=

Reactivity = 3 Health= Fire=

Physical Hazard= 3

4 First aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

After skin contact:

After swallowing:

Remove contaminated clothing. Wash exposed area with soap and water.

After eye contact: Move to fresh air. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Contact physician or poison control center.

5 Fire fighting measures

Extinguishing agents: CO2, sand, extinguishing powder, or water spray. Fight larger fires with water spray or alcohol resistant

foam.

Protective equipment: No special measures required.

6 Accidental release measures

Personal safety

precautions: Wear protective equipment. Keep unprotected persons away.

(Contd. on page 2)

Safety Data Sheet (SDS)

Trade name: PADMOUNT GREEN ENAMEL TOUCH-UP PAINT

Environmental safety

precautions:

Inform appropriate authorities in case of seepage into water course or sewage system. Do not allow product to reach sewage systems or ground water.

Measures for cleaning/ collecting:

Do not flush with water or aqueous cleansing agents. Use diluted caustic solution. Soak up spills with inert absorbent material. Refer to section 13 for disposal information.

7 Handling and storage

Fire/explosion protection:

Do not spray on a naked flame or any incandescent material.

Storage requirements:

Do not smoke. Protect from electrostatic charges.

Observe pressurized container storage regulations. Consult with your local authorities.

Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions.

8 Exposure controls and personal protection:

o Exposui	o Exposure controls and personal protection.			
Components with limit values that require monitoring at the workplace:				
67-64-1 Acetone				
REL 5 TLV S	2400 mg/m³, 1000 ppm 590 mg/m³, 250 ppm Short-term value: 1782 mg/m³, 750 ppm Long-term value: 1188 mg/m³, 500 ppm BEI			
108-88-3 Toluene				
L	Short-term value: C 300; 500* ppm Long-term value: 200 ppm 10-min peak per 8-hr shift			
REL S	Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm			
TLV (188) NIC-75 mg/m³, 20 ppm Skin); (BEI)			
106-97-8 n-butane				
REL 1	900 mg/m³, 800 ppm			
107-87-9	107-87-9 Methyl Propyl Ketone			
TLV S	700 mg/m³, 200 ppm Short-term value: (881) NIC-529 mg/m³, (250) ppm Long-term value: (705) mg/m³, (200) ppm NIC-150			
108-65-6	108-65-6 PM acetate			

WEEL 50 ppm

Protective hygienic

measures:

Keep away from foodstuffs and animal feed. Wash hands after use. Use suitable respiratory protective device in case of insufficient ventilation. **Breathing equipment:**

A respirator is generally not necessary when using this product outdoors or in large open areas. In cases

of inadequate ventilation, a respiratory protective device should be worn to prevent overexposure. Due to missing tests, no glove material recommendation can be given.

Protection of hands:

. Protective gloves. The glove material has to be impermeable and resistant to the substance. No glove recommendation can be given. Tightly sealed goggles

Eye protection:

9 Physical and chemical properties:

General Information:		
Form: Color: Odor: Boiling point/Boiling range:	Aerosol According to trade name description in section 1. Solvent -44°C (-47°F)	
Flash point:	-19°C (-2°F)	
Ignition temperature:	365.0°C (689°F)	
	(Coutd on noon	

(Contd. of page 1)

Safety Data Sheet (SDS)

Trade name: PADMOUNT GREEN ENAMEL TOUCH-UP PAINT

	(Contd. of page 2
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Stable at normal temperatures. Can may burst when exposed to temperatures exceeding 120 degrees fahrenheit. In use, may form flammable/explosive vapour-air mixture.
Lower Explosion Limit:	1.7 Vol %
Upper Explosion Limit:	10.9 Vol %
Vapor Pressure:	40 PSI, 2750 hPa
Density at 20°C (68°F):	0.76126 g/cm^3
Specific Gravity:	Between 0.77 and 0.85 (Water equals 1.00)
VOC content:	538.2 g/l / 4.49 lb/gl
VOC content (less exempt solvents	
MIR Value:	1.09
Solids content:	17.4 %

10 Stability and reactivity:

Conditions to be avoided: Do not allow the can to exceed 120 degrees Fahrenheit. Stable at normal temperatures.

Possibility of Hazardous

Reactions:

No dangerous reactions known.

11 Toxicological information:

Primary effect on the skin: No irritant effect. Primary effect on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

12 Ecological information

Other information:

This product does not contain any chloroflourocarbons (CFC's), chlorinated solvents, lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyl (PBB), or polybrominated diphenyl ether

(PDBE). No specific ecological data is available for this product.

Acquatic toxicity: Hazardous for water, do not empty into drains.

13 Disposal considerations

DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

Empty cans should be recycled. **Recommendation:**

14 Transport information:

Hazard class: Identification number: 2.1 N/A

ADR/RID class: **UN-Number:**

2.1 5F Gases 1950

IMDG Class: Packaging group: EMS Number: 2.1 F-D,S-U

Marine pollutant: No ICAO/IATA Class: 2.1

Propper shipping name: Aerosols, Flammable

Consumer Commodity ORM-D

15 Regulations

Label

SARA Section 355 (extremely hazardous substances):

None of the ingredients in this product are listed

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances

Control Act):

All ingredients are listed.

(Contd. on page 4)

Safety Data Sheet (SDS)

Trade name: PADMOUNT GREEN ENAMEL TOUCH-UP PAINT (Contd. of page 3) PROPOSITION 65 Chemicals known to cause cancer: 1333-86-4 Carbon black 100-41-4 ethyl benzene PROPOSITION 65 Chemicals known to cause developmental toxicity: 108-88-3 Toluene Canadian WHMIS: Class A, B5---Flammable Aerosols EPA: A= Known human carcinogen B= Probable human carcinogen C= Possible human carcinogen D= Not classifiable as to human carcinogenicity: Inadequate human and animal evidence of carcinogenicity (or no data is available). IARC: Group 2B: The ingredient is possibly carcinogenic to humans. There is limited evidence of Group 3: The ingredient is unclassifiable as to its carcinogenicity to humans. 13463-67-7 titanium dioxide 2B **ACGIH TLVs:** A1-designates a confirmed human carcinogen. A2-designates a suspected human carcinogen. A3-designates an animal carcinogen. A4-designates "not classifiable as a human carcinogen" 13463-67-7 titanium dioxide A4 NIOSH: 13463-67-7 titanium dioxide

16 Other information

1333-86-4 Carbon black

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Contact: Regulatory Affairs