

# Safety Data Sheet (SDS)

Reviewed on 05/28/2014

## 1 Identification of substance

**Trade name:** INTENT WHITE SOLVENT BASED MARKING PAINT  
**Product number:** 4664  
**Manufacturer/Supplier:** Rainbow Technology Corporation  
 261 Cahaba Valley Parkway  
 Pelham, Alabama 35124  
 (800) 637.6047, www.rainbowtech.net  
**Contact person:** Larry Joe Steeley, Jr.  
**Emergency information:** CHEMTEL 1-800-255-3924, 813-248-0585 if located outside the U.S.

## 2 Composition/Data on components


**Chemical Description:** This product is a mixture of the substances listed below with nonhazardous additions.

**Dangerous components:**

|            |                   |        |
|------------|-------------------|--------|
| 1317-65-3  | Calcium Carbonate | 19.38% |
| 64742-89-8 | VM&P Naptha       | 16.98% |
| 106-97-8   | n-butane          | 9.24%  |
| 13463-67-7 | titanium dioxide  | 8.14%  |
| 142-82-5   | heptane           | 7.26%  |
| 64742-47-8 | Mineral Spirits   | 7.16%  |

**Additional information:** For the wording of the listed risk phrases refer to section 3.

## 3 Hazards identification

**Hazard description:**  Irritant  
Extremely flammable

**Physical dangers:** Extremely flammable liquid and vapor in a pressurized container. Keep away from heat, sparks, and flame.  
Extremely flammable.  
Irritating to eyes, respiratory system and skin.  
Keep out of the reach of children.

**Effects of short-term overexposure:** Vapors cause irritation to the eyes, nose, throat, skin, and central nervous system. Symptoms may include dizziness, throat irritation, headache, fatigue, swelling of eyes, and nausea.

**Effects of chronic overexposure:** May cause permanent brain and nervous system damage. Repeated overexposure can also damage kidneys, lungs, liver, heart, and blood. Intentional misuse by deliberately inhaling the contents may be harmful or fatal.

**NFPA ratings (scale 0 - 4):** Health = 1  
Fire = 4  
Reactivity = 3

**HMIS-ratings (scale 0 - 4):** Health= 1  
Fire= 4  
Physical Hazard= 3

## 4 First aid measures

**After inhalation:** Supply fresh air; consult doctor in case of complaints.  
**After skin contact:** Immediately wash with water and soap and rinse thoroughly.  
**After eye contact:** Move to fresh air. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.  
**After swallowing:** Contact physician or poison control center.

## 5 Fire fighting measures

**Extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder, or water spray. Fight larger fires with water spray or alcohol resistant foam.  
**Protective equipment:** No special measures required.

## 6 Accidental release measures

**Personal safety precautions:** Wear protective equipment. Keep unprotected persons away.  
**Environmental safety precautions:** Inform appropriate authorities in case of seepage into water course or sewage system.

# Safety Data Sheet (SDS)

**Trade name:** INTENT WHITE SOLVENT BASED MARKING PAINT

(Contd. of page 1)

**Measures for cleaning/  
collecting:**

Do not allow product to reach sewage systems or ground water.

Do not flush with water or aqueous cleansing agents. Use diluted caustic solution. Soak up spills with inert absorbent material. Refer to section 13 for disposal information.

## 7 Handling and storage

**Fire/explosion protection:** Do not spray on a naked flame or any incandescent material.  
Do not smoke. Protect from electrostatic charges.

**Storage requirements:** Observe pressurized container storage regulations. Consult with your local authorities.  
Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions.

## 8 Exposure controls and personal protection:

### Components with limit values that require monitoring at the workplace:

#### 106-97-8 n-butane

REL 1900 mg/m<sup>3</sup>, 800 ppm

#### 142-82-5 heptane

|     |  |
|-----|--|
| PEL | 2000 mg/m <sup>3</sup> , 500 ppm                         |
| REL | Short-term value: C 1800* mg/m <sup>3</sup> , C 440* ppm |
|     | Long-term value: 350 mg/m <sup>3</sup> , 85 ppm          |
|     | *15-min  |
| TLV | Short-term value: 2050 mg/m <sup>3</sup> , 500 ppm       |
|     | Long-term value: 1640 mg/m <sup>3</sup> , 400 ppm        |

**Protective hygienic  
measures:**

Keep away from foodstuffs and animal feed. Wash hands after use.

**Breathing equipment:**

Use suitable respiratory protective device in case of insufficient ventilation.

**Protection of hands:**

A respirator is generally not necessary when using this product outdoors or in large open areas. In cases of inadequate ventilation, a respiratory protective device should be worn to prevent overexposure.

Protective gloves. The glove material has to be impermeable and resistant to the substance. No glove recommendation can be given.

**Eye protection:**

Tightly sealed goggles

## 9 Physical and chemical properties:

### General Information:

|                                     |   |
|-------------------------------------|---|
| <b>Form:</b>                        | Aerosol   |
| <b>Color:</b>                       | According to trade name description in section 1. |
| <b>Odor:</b>                        | Solvent   |
| <b>Boiling point/Boiling range:</b> | -44°C (-47°F)                                     |

**Flash point:** -19°C (-2°F)

**Ignition temperature:** 210.0°C (410°F)

**Auto igniting:** Product is not self-igniting.

**Danger of explosion:** Stable at normal temperatures. Can may burst when exposed to temperatures exceeding 120 degrees fahrenheit.

In use, may form flammable/explosive vapour-air mixture.

**Lower Explosion Limit:** 0.9 Vol %

**Upper Explosion Limit:** 10.9 Vol %

**Vapor Pressure:** 40 PSI, 2750 hPa

**Density:** Not determined.

**Specific Gravity:** Between 0.77 and 0.85 (Water equals 1.00)

**VOC content:** 577.0 g/l / 4.81 lb/gl

**VOC in weight percent (less acetone):** 57.7 %

**Solids content:** 41.7 %

## 10 Stability and reactivity:

**Conditions to be avoided:** Do not allow the can to exceed 120 degrees Fahrenheit. Stable at normal temperatures.

**Possibility of Hazardous  
Reactions:**

No dangerous reactions known.

-USA  
(Contd. on page 3)

# Safety Data Sheet (SDS)

Trade name: INTENT WHITE SOLVENT BASED MARKING PAINT

(Contd. of page 2)

## 11 Toxicological information:

**Primary effect on the skin:** Irritant to skin and mucous membranes.

**Primary effect on the eye:** Irritating effect.

**Sensitization:** No sensitizing effects known.

## 12 Ecological information

**Other information:** This product does not contain any chloroflourocarbons (CFC's), chlorinated solvents, lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyl (PBB), or polybrominated diphenyl ether (PDBE). No specific ecological data is available for this product.

**Acquatic toxicity:** Harmful to aquatic organisms.  
Hazardous for water, do not empty into drains.

## 13 Disposal considerations

**DISPOSAL METHOD:** Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

**Recommendation:** Empty cans should be recycled.

## 14 Transport information:

|                               |   |
|-------------------------------|---|
| <b>Hazard class:</b>          | 2.1   |
| <b>Identification number:</b> | N/A   |
| <b>Label</b>                  | 2.1   |
| <b>ADR/RID class:</b>         | 2 5F Gases                                      |
| <b>UN-Number:</b>             | 1950  |
| <b>IMDG Class:</b>            | 2   |
| <b>Packaging group:</b>       | II  |
| <b>EMS Number:</b>            | F-D,S-U   |
| <b>Marine pollutant:</b>      | No  |
| <b>ICAO/IATA Class:</b>       | 2.1   |
| <b>Proper shipping name:</b>  | Aerosols, Flammable<br>Consumer Commodity ORM-D |

## 15 Regulations

### SARA Section 355 (extremely hazardous substances):

None of the ingredients in this product are listed.

### SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

### TSCA (Toxic Substances

**Control Act):** All ingredients are listed.

### PROPOSITION 65 Chemicals known to cause cancer:

100-41-4 ethyl benzene

**Canadian WHMIS:** Class A, B5---Flammable Aerosols

### EPA:

A= Known human carcinogen      B= Probable human carcinogen

C= Possible human carcinogen

D= Not classifiable as to human carcinogenicity: Inadequate human and animal evidence of carcinogenicity (or no data is available).

### IARC:

13463-67-7 titanium dioxide

2B

### ACGIH TLVs:

A1-designates a confirmed human carcinogen.

A2-designates a suspected human carcinogen.

A3-designates an animal carcinogen.

A4-designates "not classifiable as a human carcinogen".

13463-67-7 titanium dioxide

A4

### NIOSH:

13463-67-7 titanium dioxide

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Contact:** Regulatory Affairs