

Distributed by  
**Rainbow Technology Corp.**  
 Tel: 1.800.637.6047 / 205.733.0333  
 RTC Product #79499

**DISTRIBUTED BY: RAINBOW TECHNOLOGY**  
**800.637.6047 OR 205.733.0333**  
**RTC PRODUCT NO. 79499**

**chemque**

**chemque**

**Material Safety Data Sheet**

**IDENTITY**  
 Q-TEL 2034 & 2035 PLUGGING KITS

|  |   |
|--|---|
| <b>SECTION 1</b>   |   |
| Manufacturer's Name<br><b>CHEMQUE, INC.</b>                                  | Emergency Telephone Number<br><b>CANUTEC (613) 996-6666</b> |
| Address (Number, Street, City, State and ZIP code)<br><b>6107 Guion Road</b> | Telephone Number for Information<br><b>(416) 679-5676</b>   |
| <b>Indianapolis, Indiana</b>   | Date <b>March 1, 2002</b>                                   |
| <b>46254</b>   |   |

**SECTION II - Hazardous Ingredients / Identity Information**

| Hazardous Components (Specific Chemical Identity: Common Name(s)) | OSHA PEL | ACGIH TLV | Other Limits Recommended | % (optional) |
|---|----------|-----------|--------------------------|--------------|
|---|----------|-----------|--------------------------|--------------|

**Contains no hazardous ingredients**

NJTSRN-PFQ2034/NJTSRN-PFQ2035

**SECTION III - Physical / Chemical Characteristics**

|                         |                              |  |               |
|-------------------------|------------------------------|--|---------------|
| Boiling Point           | N/E                          | Specific Gravity (H <sub>2</sub> O = 1)@77°F | 1.08 g/ml     |
| Vapor Pressure (mm Hg)  | N/E                          | Melting Point                                | 410°F (210°C) |
| Vapor Density (AIR = 1) | < 1                          | Evaporation Rate<br>(Butyl Acetate = 1)      | N/E           |
| Solubility in Water     | Insoluble                    |  |               |
| Appearance and Odor     | Solid, black rubber, no odor |  |               |

**SECTION IV - Fire and Explosion Hazard Data**

|  |   |            |            |
|--|---|------------|------------|
| Flash Point (Method Used)<br>603.5 F (317.5 C) | Flammable Limits<br>N/E   | LEL<br>N/E | UEL<br>N/E |
| Extinguishing Media                            | Treat as Class "A" fire; use CO <sub>2</sub> , water spray  |            |            |
| Special Fire Fighting Procedures               | Use water spray to cool fire exposed surfaces and isolate fuel supply from fire. Use breathing apparatus. |            |            |
| Unusual Fire and Explosion Hazards             | Product is non-explosive. Fire is accompanied by evolving dense smoke, which may cause tearing in eyes.   |            |            |

# Safety Data Sheet (SDS)



Q-Tel 2034 &amp; 2035 Plugging Kits

## SECTION V - Reactivity Data

|           |          |    |  |
|-----------|----------|----|--|
| Stability | Unstable |    | Conditions to Avoid Strong acids and oxidizing materials |
|           | Stable   | XX |  |

Incompatibility (*Materials to Avoid*) NoneHazardous Decomposition or Byproducts Fire is accompanied by evolving CO, CO<sub>2</sub> and hydrocarbon gas compounds

|                          |                |    |                          |
|--------------------------|----------------|----|--------------------------|
| Hazardous Polymerization | May Occur      |    | Conditions to Avoid None |
|                          | Will Not Occur | XX |                          |

## SECTION VI - Health Hazard Data

|                            |             |     |       |     |            |
|----------------------------|-------------|-----|-------|-----|------------|
| Route (s) of Entry:<br>YES | Inhalation? | YES | Skin? | YES | Ingestion? |
|----------------------------|-------------|-----|-------|-----|------------|

Health Hazards (Acute and Chronic) N/E

|                        |    |      |    |                  |    |                 |
|------------------------|----|------|----|------------------|----|-----------------|
| Carcinogenicity:<br>No | No | NTP? | No | IARC Monographs? | No | OSHA Regulated? |
|------------------------|----|------|----|------------------|----|-----------------|

Signs and Symptoms of Exposure: None

Medical Symptoms Generally Aggravated by Exposure: None

Emergency and First Aid Procedures: None required

## SECTION VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled Spills not possible since material is a solid.

Waste Disposal Method Dispose of product in accordance with applicable local, state or provincial and federal regulations for environmental protection.

Precautions to be Taken in Handling and Storage Store at room temperature. For industrial use only.

Other Precautions N/A

## SECTION VIII - Control Measures

Respiratory Protection (*Specify Type*) None required

|             |                               |     |         |     |
|-------------|-------------------------------|-----|---------|-----|
| Ventilation | Local Exhaust                 | N/A | Special | N/A |
|             | Mechanical ( <i>General</i> ) | N/A | Other   | N/A |

Protective Gloves Recommended if material is hot application Eye Protection Safety Glasses, depending on

Other Protective Clothing or Equipment None required

Work / Hygienic Practices Wash thoroughly after handling

Abbreviations:

N/A = not applicable

Page 2

N/E = not established

The conditions of your use and application of our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested method of application and recommendations are beyond our control. Therefore it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis at least must include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done at Chemque. All information is given without warranty or guarantee. It is expressly understood and agreed that the customer assumes and hereby expressly releases Chemque from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance and information. Any statement or recommendation not contained herein is unauthorized and shall not bind Chemque. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.